OSRAM

ORIGINAL - GLASS WEDGE BASE WY21W

Original spare part





The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

Order reference	7504	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	25 W
Nominal voltage	12.0 V
Nominal wattage	21.00 W
Test voltage	13.5 V
Power input tolerance	±6 %

Photometrical data

Luminous flux	280 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	20.0 mm
Product weight	6.00 g
Length	47.5 mm

Lifespan

Lifespan B3	400 h
Lifespan Tc	600 h

Additional product data

Base (standard designation) WX3x16d

Capabilities

Certificates & standards

ECE category	WY21W
--------------	-------

Country specific categorizations

Environmental information

Date of Declaration 11-01-2022		
Primary Article Identifier 4008321165473		
Candidate List Substance 1 No declarable substances contained		
CAS No. of substance 1	No CAS	
Declaration No. in SCIP database	No declarable substances contained	

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321165473	OSRA7504	-	-	-
4008321165480	OSRA7504	-	-	-
4008321165473	OSRA7504	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321165473	ORIGINAL - WEDGE BASE WY21W	Unpacked 1	20 mm x 20 mm x 48 mm	0.02 dm³	6.00 g
4008321165480	ORIGINAL - WEDGE BASE WY21W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm³	88.00 g
4008321165497	ORIGINAL - WEDGE BASE WY21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	527.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















